


group: **ITC-irst, Italy**  
task: Monolingual Italian Question Answering  
subtask: exact answers

### run irstex031mi



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file irstex031mi.txt

This file is composed of 590 answers:  
132 Right, 439 Wrong, 6 Unsupported and 13 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 103 (51.5%)  
Number of questions where at least one correct response was returned: 97 (48.5%)  
Mean reciprocal rank : 0.4225

Statistics (lenient):  
Number of questions where no correct responses were returned: 99 (49.5%)  
Number of questions where at least one correct response was returned: 101 (50.5%)  
Mean reciprocal rank : 0.4425

Number of questions for which `NIL' was returned as a response : 4  
Number of questions for which `NIL' was correctly returned : 2

group: **ITC-irst, Italy**  
task: Monolingual Italian Question Answering  
subtask: 50 bytes long answers

### run irstst032mi



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file irstst032mi.txt

This file is composed of 582 answers:  
153 Right, 410 Wrong, 7 Unsupported and 12 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 101 (50.5%)  
Number of questions where at least one correct response was returned: 99 (49.5%)  
Mean reciprocal rank : 0.4491666666666667

Statistics (lenient):  
Number of questions where no correct responses were returned: 96 (48%)  
Number of questions where at least one correct response was returned: 104 (52%)  
Mean reciprocal rank : 0.4716666666666667

Number of questions for which `NIL' was returned as a response : 5  
Number of questions for which `NIL' was correctly returned : 2

group: **University of Alicante, Spain**  
task: Monolingual Spanish Question Answering  
subtask: exact answers

### run alicex031ms



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file alicex031ms.txt

This file is composed of 547 answers:  
91 Right, 437 Wrong, 9 Unsupported and 10 inExact.


Statistics (strict):  
Number of questions where no correct responses were returned: 120 (60%)  
Number of questions where at least one correct response was returned: 80 (40%)  
Mean reciprocal rank : 0.3075

Statistics (lenient):  
Number of questions where no correct responses were returned: 113 (56.5%)  
Number of questions where at least one correct response was returned: 87 (43.5%)  
Mean reciprocal rank : 0.3208333333333333

Number of questions for which `NIL' was returned as a response : 21  
Number of questions for which `NIL' was correctly returned : 5

group: **University of Alicante, Spain**  
task: Monolingual Spanish Question Answering  
subtask: exact answers

### run alicex032ms



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file alicex032ms.txt

This file is composed of 546 answers:  
79 Right, 448 Wrong, 9 Unsupported and 10 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 130 (65%)  
Number of questions where at least one correct response was returned: 70 (35%)  
Mean reciprocal rank : 0.2966666666666667

Statistics (lenient):  
Number of questions where no correct responses were returned: 123 (61.5%)  
Number of questions where at least one correct response was returned: 77 (38.5%)  
Mean reciprocal rank : 0.3175

Number of questions for which `NIL' was returned as a response : 21  
Number of questions for which `NIL' was correctly returned : 5

group: **University of Amsterdam, The Netherlands**  
task: Monolingual Dutch Question Answering  
subtask: exact answers

### run uamsex031md



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in file uamsex031md.txt.

This file is composed of 600 answers:  
84 Right, 492 Wrong, 6 Unsupported and 18 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 122 (61%)  
Number of questions where at least one correct response was returned: 78 (39%)  
Mean reciprocal rank : 0.2983333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 118 (59%)  
Number of questions where at least one correct response was returned: 82 (41%)  
Mean reciprocal rank : 0.3175

Number of questions for which `NIL' was returned as a response : 200  
Number of questions for which `NIL' was correctly returned : 17

group: **University of Amsterdam, The Netherlands**  
task: Monolingual Dutch Question Answering  
subtask: exact answers

### run uamsex032md



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in file uamsex032md.txt.

This file is composed of 600 answers:  
85 Right, 488 Wrong, 11 Unsupported and 16 inExact.


Statistics (strict):  
Number of questions where no correct responses were returned: 118 (59%)  
Number of questions where at least one correct response was returned: 82 (41%)  
Mean reciprocal rank : 0.3058333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 111 (55.5%)  
Number of questions where at least one correct response was returned: 89 (44.5%)  
Mean reciprocal rank : 0.3358333333333333

Number of questions for which `NIL' was returned as a response : 200  
Number of questions for which `NIL' was correctly returned : 17

group: **DFKI, Germany**  
task: Bilingual German Question Answering  
subtask: 50 bytes long answers

### run dfkist031bg



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file dfkist031bg.txt


This file is composed of 564 answers:  
41 Right, 522 Wrong, 1 Unsupported and 0 inExact.

Statistics (strict):  
Number of questions where no correct responses were returned: 171 (85.5%)  
Number of questions where at least one correct response was returned: 29 (14.5%)  
Mean reciprocal rank : 0.0983333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 170 (85%)  
Number of questions where at least one correct response was returned: 30 (15%)  
Mean reciprocal rank : 0.1033333333333333

Number of questions for which `NIL' was returned as a response : 18  
Number of questions for which `NIL' was correctly returned : 0

group: **ITC-irst, Italy**  
task: Bilingual Italian Question Answering  
subtask: exact answers



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file irstex031bi.txt

This file is composed of 492 answers:  
94 Right, 378 Wrong, 6 Unsupported and 14 inExact.


Statistics (strict):  
Number of questions where no correct responses were returned: 123 (61.5%)  
Number of questions where at least one correct response was returned: 77 (38.5%)  
Mean reciprocal rank : 0.3225

Statistics (lenient):  
Number of questions where no correct responses were returned: 119 (59.5%)  
Number of questions where at least one correct response was returned: 81 (40.5%)  
Mean reciprocal rank : 0.3341666666666667

Number of questions for which `NIL' was returned as a response : 49  
Number of questions for which `NIL' was correctly returned : 6

group: **ITC-irst, Italy**  
task: Bilingual Italian Question Answering  
subtask: exact answers

### run irstex032bi



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file irstex032bi.txt

This file is composed of 526 answers:  
113 Right, 402 Wrong, 2 Unsupported and 9 inExact.


Statistics (strict):  
Number of questions where no correct responses were returned: 110 (55%)  
Number of questions where at least one correct response was returned: 90 (45%)  
Mean reciprocal rank : 0.3933333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 108 (54%)  
Number of questions where at least one correct response was returned: 92 (46%)  
Mean reciprocal rank : 0.4008333333333333

Number of questions for which `NIL' was returned as a response : 28  
Number of questions for which `NIL' was correctly returned : 5

group: **University of Limerick, Ireland**  
task: Bilingual French Question Answering  
subtask: exact answers

### run dltgex031bf



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file dltgex031bf.txt


This file is composed of 200 answers:  
23 Right, 175 Wrong, 1 Unsupported and 1 ineXact.

Statistics (strict):  
Number of questions where no correct responses were returned: 177 (88.5%)  
Number of questions where at least one correct response was returned: 23 (11.5%)  
Mean reciprocal rank : 0.115

Statistics (lenient):  
Number of questions where no correct responses were returned: 176 (88%)  
Number of questions where at least one correct response was returned: 24 (12%)  
Mean reciprocal rank : 0.12

Number of questions for which `NIL' was returned as a response : 119  
Number of questions for which `NIL' was correctly returned : 10

group: **University of Limerick, Ireland**  
task: Bilingual French Question Answering  
subtask: exact answers



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file dltgex032bf.txt

This file is composed of 200 answers:  
22 Right, 175 Wrong, 1 Unsupported and 2 ineXact.

Statistics (strict):

Number of questions where no correct responses were returned: 178 (89%)

Number of questions where at least one correct response was returned: 22 (11%)

Mean reciprocal rank : 0.11

Statistics (lenient):

Number of questions where no correct responses were returned: 177 (88.5%)

Number of questions where at least one correct response was returned: 23 (11.5%)


Mean reciprocal rank : 0.115

Number of questions for which `NIL' was returned as a response : 119

Number of questions for which `NIL' was correctly returned : 10

group: **ISI, University of Southern California, USA**  
task: Bilingual Spanish Question Answering  
subtask: exact answers

### run isixex031bs



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file isixex031bs.txt

This file is composed of 586 answers:  
87 Right, 476 Wrong, 15 Unsupported and 8 inExact.


Statistics (strict):  
Number of questions where no correct responses were returned: 131 (65.5%)  
Number of questions where at least one correct response was returned: 69 (34.5%)  
Mean reciprocal rank : 0.3025

Statistics (lenient):  
Number of questions where no correct responses were returned: 123 (61.5%)  
Number of questions where at least one correct response was returned: 77 (38.5%)  
Mean reciprocal rank : 0.328333333333333

Number of questions for which `NIL' was returned as a response : 4  
Number of questions for which `NIL' was correctly returned : 0

group: **ISI, University of Southern California, USA**  
task: Bilingual Spanish Question Answering  
subtask: exact answers

### run isisex032bs



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file isisex032bs.txt

This file is composed of 586 answers:  
85 Right, 478 Wrong, 13 Unsupported and 10 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 132 (66%)  
Number of questions where at least one correct response was returned: 68 (34%)  
Mean reciprocal rank : 0.271666666666667

Statistics (lenient):  
Number of questions where no correct responses were returned: 122 (61%)  
Number of questions where at least one correct response was returned: 78 (39%)  
Mean reciprocal rank : 0.3075

Number of questions for which `NIL' was returned as a response : 4  
Number of questions for which `NIL' was correctly returned : 0

group: **Carnegie Mellon University, USA**  
task: Bilingual French Question Answering  
subtask: exact answers

### run lumoex031bf



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file lumoex031bf.txt

This file is composed of 414 answers:  
41 Right, 366 Wrong, 6 Unsupported and 1 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 162 (81%)  
Number of questions where at least one correct response was returned: 38 (19%)  
Mean reciprocal rank : 0.1533333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 158 (79%)  
Number of questions where at least one correct response was returned: 42 (21%)  
Mean reciprocal rank : 0.1708333333333333

Number of questions for which `NIL' was returned as a response : 92  
Number of questions for which `NIL' was correctly returned : 8

group: **Carnegie Mellon University, USA**  
task: Bilingual French Question Answering  
subtask: exact answers

### run lumoex032bf



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file lumoex032bf.txt

This file is composed of 416 answers:  
34 Right, 375 Wrong, 6 Unsupported and 1 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 169 (84.5%)  
Number of questions where at least one correct response was returned: 31 (15.5%)  
Mean reciprocal rank : 0.13166666666666667

Statistics (lenient):  
Number of questions where no correct responses were returned: 165 (82.5%)  
Number of questions where at least one correct response was returned: 35 (17.5%)  
Mean reciprocal rank : 0.14916666666666667

Number of questions for which `NIL' was returned as a response : 91  
Number of questions for which `NIL' was correctly returned : 7

group: **University of Montreal, Canada**  
task: Bilingual French Question Answering  
subtask: 50 bytes long answers

**run udemst031bf**



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file udemst031bf.txt

This file is composed of 599 answers:  
65 Right, 532 Wrong, 2 Unsupported and 0 ineXact.


Statistics (strict):  
Number of questions where no correct responses were returned: 144 (72%)  
Number of questions where at least one correct response was returned: 56 (28%)  
Mean reciprocal rank : 0.2133333333333333

Statistics (lenient):  
Number of questions where no correct responses were returned: 142 (71%)  
Number of questions where at least one correct response was returned: 58 (29%)  
Mean reciprocal rank : 0.2208333333333333

Number of questions for which `NIL' was returned as a response : 4  
Number of questions for which `NIL' was correctly returned : 1

group: **University of Montreal, Canada**  
task: Bilingual French Question Answering  
subtask: exact answers

### run udemex032bf



Number of questions for which the first correct response was at a given rank

Statistics over 200 questions in the file udemex032bf.txt

This file is composed of 599 answers:  
39 Right, 539 Wrong, 5 Unsupported and 16 inExact.

Statistics (strict):

Number of questions where no correct responses were returned: 162 (81%)

Number of questions where at least one correct response was returned: 38 (19%)

Mean reciprocal rank : 0.14

Statistics (lenient):

Number of questions where no correct responses were returned: 158 (79%)

Number of questions where at least one correct response was returned: 42 (21%)

Mean reciprocal rank : 0.16083333333333333

Number of questions for which `NIL' was returned as a response : 3

Number of questions for which `NIL' was correctly returned : 1